

Mini excavator CDM926N

144500 € fara TVA

[Click aici sa vezi produsul](#)



BASIC	Bucket Capacity	0.65m ³
	Rated Payload	1200kg
	Operating Weight	4370kg
	Traction Force	39kN
	Breakout Force	28kN
ENGINE	LxWxH	5820x1890x2810mm
	Manufacturer/Model	YN2 7? N ation ??
	Rated Power	36.8kW/2400rpm
	Rated Torque	245N-m/1600-1800rpm
	Transmission Type	Countershaft Powershift
DRIVE TRAIN	Shift Type	Fixed Shaft Hydraulic Shift Spur Gear
	Pressure of Transmission	1.2-1.5MPa
	Gear	2F/2R
	Torque Converter	Single-stage, Single-turbine, 3-element
	Torque Ratio	3.7
	Main Reducer	Spiral Bevel Gear Single-stage Reduction
	Final Reducer	Planetary Reduction
	Tire	16/70-16
	Travel speed-Forward	16 km/h
	Travel speed-Reverse	16 km/h
BRAKE SYSTEM	Service Brake	Air Drive, Four Wheel Brake (Dry)
	Setting Pressure	0.78MPa
	Parking Brake	Flexible Shaft Controlled Drum Brake
STEERING SYSTEM	Type	Hydraulic Load Sensor System
	Steering Pump	Shared With Working Pump
	System Pressure	14Mpa
	Steering Angle	±35°
	Type	Pilot Control
HYDRAULIC SYSTEM	Working Pump	Gear Pump
	Flow Rate	100L/min-2400rpm
	Control Valve	2 Spool
	System Pressure	16MPa
	Cycle Time (Sec)	8.23
ELECTRIC SYSTEM	System Voltage	24V
	Battery ? 2 in series)	2x55 Ah
	Fuel Tank	90L
SERVICE REFILL CAPACITY	Hydraulic Tank	60L
	Transmission	17.5L
	Front Axle / Rear Axle	20L



SC Stivuitoare-Lize SRL

Telefon: +40 744 891 111

Email: office@stivuitoarenoi.ro

Website: <https://stivuitoarenoi.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania