

Mini excavator CDM932NG

156000 € fara TVA

[Click aici sa vezi produsul](#)



BASIC	Bucket Capacity	0.8 m ³
	Rated Payload	1500kg
	Operating Weight	5230kg
	Traction Force	52kN
	Breakout Force	35kN
ENGINE	LxWxH	5925x2100x2950mm
	Manufacturer/Model	YUNNEI/YN38GBZ1?Nation ??
	Rated Power	65kW/2400rpm
	Rated Torque	285N·m/1600-1800rpm
	Transmission Type	Countershaft Powershift
	Shift Type	Fixed Shaft Hydraulic Shift Spur Gear
	Pressure of Transmission	1.1-1.5MPa
	Gear	2F/2R
	Torque Converter	Single-stage, Single-turbine, 3-element
	Torque Ratio	3.13
DRIVE TRAIN	Main Reducer	Spiral Bevel Gear Single-stage Reduction
	Final Reducer	Planetary Reduction
	Tire	16/70-20
	Travel speed-Forward	8/20km/h
	Travel speed-Reverse	8/20km/h
	Service Brake	Air Drive, Four Wheel Brake (Dry)
	Setting Pressure	0.78MPa
BRAKE SYSTEM	Parking Brake	Flexible Shaft Controlled Caliper
	Type	Hydraulic Load Sensor System
	Steering Pump	Shared With Working Pump
STEERING SYSTEM	System Pressure	14Mpa
	Steering Angle	±30°
	Type	Pilot control
	Working Pump	Gear Pump
HYDRAULIC SYSTEM	Flow Rate	120L/min·2400rpm
	Control Valve	2 Spool
	System Pressure	16MPa
	Cycle Time (Sec)	8.2
	System Voltage	24V
ELECTRIC SYSTEM	Battery ? 2 in series)	2x80 Ah
	Fuel Tank	90L
SERVICE REFILL CAPACITY	Hydraulic Tank	65L
	Transmission	19L
	Front Axle / Rear Axle	24L



SC Stivuitoare-Lize SRL

Telefon: +40 744 891 111

Email: office@stivuitoarenoi.ro

Website: <https://stivuitoarenoi.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania