

Mini excavator CDM833

263500 € fara TVA

[Click aici sa vezi produsul](#)



BASIC	Bucket Capacity	1.8m ³
	Rated Payload	3500kg
	Operating Weight	11620±300kg
	Traction Force	97±3kN
	Breakout Force	105(95)±3kN
	LxWxH	7520x2500x3180
	Maker/Model	WEICHAI/WP6G125E332
ENGINE	Rated Power	92kW/2200rpm
	Maximum Torque	540N·m/1400-1600rpm
	Bore x Stroke	105x130mm
	No. of Cylinders /Displacement	6/6.75L
	Air Cleaner	Three Stage Air Cleaner
	Alternator	55Amp
	Battery	2-24V/105Ah
	Starting Motor	24V/6kW
	Transmission Type	Countershaft Powershift
	Shift Type	Mechanical Powershift Control
DRIVE TRAIN	Pressure of Transmission	1.1-1.5MPa
	Torque Converter Type	Single-stage&turbine,3-element
	Axles	Rigid (Front)&Oscillating (Rear)
	Rear Axle Oscillation	±10°
	Differential	Conventional
	Main Reducer	Spiral Bevel,1-stage Reduction
	Final Reducer	Planetary Reduction
	Tire	17.5-25 L-3 12PR TT
	Travel Speed-Forward	6.8/12.5/33.5 km/h
	Travel Speed-Reverse	6.5/12/32 km/h
BRAKE SYSTEM	Service Brake	Single Circuit Caliper,Dry Brake
	Setting Pressure	0.70-0.78MPa
	Parking Brake	Flexible Shaft Controlled
	Emergency Brake	Caliper Brake
	Type	Hydraulic Load Sensing System
STEERING SYSTEM	Pump	112ml/r
	System Pressure	14MPa
	Cylinder Type	Double Acting
	Steering Angle	±35°
	Type	Joystick Control
HYDRAULIC SYSTEM	Pump	246L/min·2200rpm
	Control Valve	2 Spool
	System Pressure	16MPa
	Cycle Time (Sec)	10.5
	Fuel Tank	200L
SERVICE REFILL CAPACITY	Hydraulic Tank	200L
	Crankshaft	17L
	Transmission	36L
	Front Axle/Rear Axle	18.5L/18.5L



SC Stivuitoare-Lize SRL

Telefon: +40 744 891 111

Email: office@stivuitoarenoi.ro

Website: <https://stivuitoarenoi.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania