

Mini excavator CDM833

52700 € fara TVA

[Click aici sa vezi produsul](#)



BASIC

Bucket Capacity	1.8m ³
Rated Payload	3500kg
Operating Weight	11620±300kg
Traction Force	97±3kN
Breakout Force	105(95)±3kN
L×W×H	7520×2500×3180
Maker/Model	WEICHAI/WP6G125E332
Rated Power	92kW/2200rpm
Maximum Torque	540N·m/1400-1600rpm
Bore x Stroke	105×130mm
No. of Cylinders /Displacement	6/6.75L
Air Cleaner	Three Stage Air Cleaner
Alternator	55Amp
Battery	2-24V/105Ah
Starting Motor	24V/6kW
Transmission Type	Countershaft Powershift
Shift Type	Mechanical Powershift Control
Pressure of Transmission	1.1-1.5MPa
Torque Converter Type	Single-stage&turbine,3-element
Axles	Rigid (Front)&Oscillating (Rear)
Rear Axle Oscillation	±10°
Differential	Conventional
Main Reducer	Spiral Bevel,1-stage Reduction
Final Reducer	Planetary Reduction
Tire	17.5-25 L-3 12PR TT
Travel Speed-Forward	6.8/12.5/33.5 km/h

ENGINE**DRIVE TRAIN**

Base
Speed-
Reverse

BRAKE SYSTEM

Service Brake	Single Circuit Caliper,Dry Brake
Setting Pressure	0.70-0.78MPa
Parking Brake	Flexible Shaft Controlled
Emergency Brake	Caliper Brake
Type	Hydraulic Load Sensing System

STEERING SYSTEM

Pump	112ml/r
System Pressure	14MPa
Cylinder Type	Double Acting
Steering Angle	±35°
Type	Joystick Control

HYDRAULIC SYSTEM

Pump	246L/min·2200rpm
Control Valve	2 Spool
System Pressure	16MPa
Cycle Time (Sec)	10.5
Fuel Tank	200L
Hydraulic Tank	200L

SERVICE REFILL CAPACITY

Crankshaft	17L
Transmission	36L

16.5L/18.5L

Front

Axle/Rear

Axle



SC Stivuitoare-Lize SRL

Telefon: +40 744 891 111

Email: office@stivuitoarenoi.ro

Website: <https://stivuitoarenoi.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania