

Mini excavator CDM6035

1212500 € fara TVA

[Click aici sa vezi produsul](#)































| | | | |
|-------------------------|---------------------------------------|----------------------|-------------------------|
| De baza | Greutate de operare | 3850 kg | |
| | Capacitate galeata standard | 0,11 m ³ | |
| | Latimea cupei standard | 520 mm | Viteza de deplasare max |
| | Viteza maxima de balansare | 9,5 rpm | 2,3/4,0 km/h |
| | Abilitatea de nota | 30° | |
| | Presiunea la sol | 34 kPa | |
| | Max.Forta de tractiune | 27,4 KN | |
| | Unghiul de balansare a bratului (L/R) | 72°/44° | |
| | Marca motorului | KUBOTA | |
| Model de motor | Motor | D1703 | |
| Putere nominala | | 18,2 kW/2200 rpm | |
| Deplasare | | 1.647 L | |
| Rezervor de combustibil | | 40 L | |
| Hidraulic | Debit max.(total) | 88 l/min | |
| | Max.Presiune de lucru | 24,5 MPa | |
| | Presiune max.pilot | 3,2 Mpa | |
| | Forta de sapare max.brat | 18(19,8) kN | |
| | Forta de sapare max | 31,8 kN | |
| | Rezervor de ulei hidraulic | 41 L | |
| | Latimea benzii | 300 mm | |
| ?asiu | Tipul piesei | ?enile de cauciuc | |
| | Numarul rotelor de transport | 1 (pe fiecare parte) | |
| | Numarul rotelor de senile | 4 (pe fiecare parte) | |
| Electric | Volajul sistemului | 12 V | |
| | Capacitatea bateriei | 12 V, 45 Ah | |



SC Stivuitoare-Lize SRL

Telefon: +40 744 891 111

Email: office@stivuitoarenoi.ro

Website: <https://stivuitoarenoi.ro/>

Comuna Corunca, Str. Principala, nr. 412-413, judet Mures, Romania